# Genturions commercial Filtering







Part #	Model	In/Out	GPM	# of Elements
40001	Centurion Single	1" NPT	30	1
40013	Centurion Double	1½" NPT	60	2
40020	Centurion Triple	2" NPT	90	3

# **Applications:**

- Designed for high-volume applications
- Housings and replacement elements are compatible with gasoline, diesel, ethanol blends up to 15%, biodiesel up to B20, and ultra-low sulfur diesel (ULSD)

### Features:

- Up to 90 gpm / 340 lpm maximum flow
- Elements available in 2, 10 and 30 micron cellulose for particulate removal
- Elements available in 10 and 30 micron Hydrosorb<sup>®</sup> for water detection and particulate removal
- Drain for easy water removal
- Parallel flow

## **Benefits:**

- Extended equipment life
- Assures delivery of quality fuel
- Cleaner change-out with drain design
- Eco-friendly reusable housing

### **Centurion Elements**

30065   E02	<b>Cellulose Element</b>	2 Micron
30002   E10	<b>Cellulose Element</b>	10 Micron
30004   E30	<b>Cellulose Element</b>	30 Micron
30195   E-10M	<b>Microglass Element</b>	10 Micron
30033   EHS-10	Hydrosorb® Element	10 Micron
30036   EHS-30	<b>Hydrosorb</b> ® <b>Element</b>	30 Micron